

3 Axle Special Transport Extendable Equipment Trailer, Heavy Haul Lowbed Semi Trailer, Low Loader of Draw and

Quick information:

Model No.: WHET-106003

Size: 12000mm-18000mm*2500mm-3500mm*3050mm,Extendable to 45m

Tare Weight:8.5-14T

Material: Q345B or T700 Steel

Max Payload: 60T, above 60T

Warranty: 12 months

Axle: FUWA 13T, optional BPW brand or other China brand

Suspension: Mechanical or air suspension

Landing Gear: Heavy Duty Landing Gear, Jost brand

King pin: 2"or 3.5" JOST brand

Brake System: Dual-pipes Braking System

Contact: betty@sd-weihua.com

WhasApp: +86 15806691798

Specification	Extendable trailer
Tare Weight	About 8.5-14T
Dimension	12000mm-18000mm*2500mm-3500mm*3050mm
	Please indicate the working platform height and length.
Max Loading	60 ton
Axle	2/3/4/5 <u>pcs</u> axles, 13 T/14T/16T capacity , FUWA /BPW for optional
Tire&Rim	Dimension according to project requirement
Suspension	Mechanical suspension / Air suspension according to demand
Spring leaf	90(W)mm*13(Thickness)mm*10 Layer or 100mm*12mm*12
King pin	JOST brand 2.0 or 3.5inch bolts type or Welding type
Support leg	JOST or China brand single action, double speed(capacity: 24/26/28/30tons)
Main beam	Height: 450mm-5550mm, upper plate is 14mm-25mm, middle plate is 8mm-16mm, down plate is 16mm-25mm ; Material is Q345B Steel .
Side beam	25-30mm I steel
Ramp	Manual or Hydraulic type
Brake chamber	WABCO & HANDLEX
Light	LED light
Voltage	12V or 24V
Tool box	One piece, 1m×0.5m×0.5m (Size can be choose freely)(equipped with 1 unit Tire spanner,1 unit <u>gudgeon</u> sleeve and 1 unit cranking bar)
Painting	Complete Chassis sand blasting to clean rust, 1 coat of anti-corrosive prime,
	2 coats of final paint

Product Feature:

- 1) Reinforced main beam and side beam to ensure high loading.
- 2) Adopting China made best brand FUWA axle, Triangle tyres
- 3) Big heavy duty hydraulic cylinders
- 4) Good hydraulic station





质量靠全体员工去保证

以人为本